

EPIC® DATA SPE Connectors

The compact Single Pair Ethernet connector with crimp termination is perfect for applications where space is limited. The SPE connector can be installed faster, more easily and more cost-effectively than a conventional Ethernet connector. The connector face complies with the DIN EN IEC 63171-6 standard.



Componentes de automação complementares da LAPP



Engenharia de máquinas e instalações



Esteira porta-cabos

Vantagens

Fast information exchange thanks to future-proof Single Pair Ethernet (SPE) technology for a consistent and uniform network infrastructure right up to the field level.

Compact design for use in restricted spaces.

Time-saving and simplified installation compared to conventional Ethernet connectors.

Connector face of the SPE connector in accordance with DIN EN IEC 63171-6.

Power over Data Line (PoDL)-capable connector according to IEEE 802.3bu for simultaneous power and data supply of SPE terminal devices with low energy requirements (up to 50 W).

Âmbitos de aplicação

For establishing a detachable Single Pair Ethernet connection.

Typical applications include control cabinets, industrial robots and field equipment.

For use with the SPE circuit board socket EPIC® DATA SPE-6 PCB F.

Referências às normas / Aprovações

DIN EN IEC 63171-6

Projeto do produto

For AWG26 crimp termination

Dados técnicos

Última atualização (26.04.2024)

©2024 Lapp Group - all rights reserved.

Gestão de Produtos <http://lappbrasil.lappgroup.com>

Você pode encontrar os dados técnicos atuais na folha de dados correspondente.

PN 0456 / 02_03.16

EPIC® DATA SPE Connectors

Tipo de proteção:

IP 20

Observação

As imagens e gráficos demonstradas não são reprodução fiel do produto, são meramente ilustrativos



EPIC® DATA SPE Connectors

Código do Produto
21700865